

SEQUENCE LISTING TECH CENTER 1600/2900

	TRADEMA	TECH CENTER TOOL	TECH CENTER TOOM
<110>	Curiel, David T. Krasnykh, Victor N. Dmitriev, Igor		
<120>	Adenovirus Vector Containing A Epitope in the HI Loop of the		s Peptide
<130>	D6080		
<140>	09/245,603		
<141>	1999-02-05		
<150>	US 60/099,801		
	US 60/073,947		
<151>	1998-09-10		
	1998-02-06		
<160>	17		
<210>	1		
<211>	38		
<212>	DNA		
<213>	artificial sequence		
<220>			
<221>	primer_bind		
<223>	Forward primer F1 used to gener	ate a gene e	ncoding
	the Ad5 fiber knob domain with	the HI loop	deleted.
<400>	1		
taaggatccg gtgc	cattac agtaggaaac aaaaataa	38	
<210>	2		
<211>	43		
<212>	DNA		
<213>	artificial sequence		
<220>			
<221>	primer_bind		
<223>	Reverse primer R1 used to gene	rate a gene e	encoding
	the Ad5 fiber knob domain with	the HI loop	deleted.
<400>	2		

43

catagagtat gcagatatcg ttagtgttac aggtttagtt ttg

```
<210>
                3
     <211>
                42
     <212>
               DNA
     <213>
               artificial sequence
     <220>
     <221>
               primer_bind
               Forward primer F2 used to generate a gene encoding
     <223>
                the Ad5 fiber knob domain with the HI loop deleted.
                3
     <400>
                                                     42
gtaacactaa cgatatctgc atactctatg tcattttcat gg
     <210>
                4
     <211>
                41
     <212>
               DNA
     <213>
               artificial sequence
     <220>
     <221>
               primer_bind
     <223>
               Reverse primer R2 used to generate a gene encoding
                the Ad5 fiber knob domain with the HI loop deleted.
     <400>
cccaagctta caattgaaaa ataaacacgt tgaaacataa c
                                                    41
     <210>
                5
     <211>
                63
     <212>
               DNA
     <213>
               artificial sequence
     <220>
               Oligonucleotide annealed with SEQ ID NO: 6 to form a
     <223>
               duplex and cloned into EcoRV-digested pQE.KNOBDHI.
     <400>
                5
tacactaaac ggtacccagg aaacaggaga cacaactgac tacaaggacg acgatgacaa
                                                                     60
                                                                      63
gcc
                6
     <210>
     <211>
                63
```

<212>	DNA
<213>	artificial sequence
<220>	
<223>	Oligonucleotide annealed with SEQ ID NO: 5 to form a
	duplex and cloned into EcoRV-digested pQE.KNOBDHI.
<400>	6
ggcttgtcat	cgtcgtcctt gtagtcagtt gtgtctcctg tttcctgggt accgtttagt 60
gta	63
<210>	7
<211>	29
<212>	DNA
<213>	artificial sequence
<220>	
<223>	Oligonucleotide used in synthetic duplex which
	encodes MetHis <sub>6</sub> Lys.
<400>	7
gatccatgca	tcaccatcac catcacaag 29
<210>	8
<211>	29
<212>	DNA
<213>	artificial sequence
<220>	
<223>	Oligonucleotide used in synthetic duplex which
	encodes MetHis <sub>6</sub> Lys.
<400>	8
cgcgcttgtg	atggtgatgg tgatgcatg 29
<210>	9
<211>	16
<212>	DNA
<213>	artificial sequence
<220>	
<223>	An NdeI-SwaI linker ligated to plasmid pTG3602 after

partial digestion of the plasmid with NdeI. <400> 16 tacccattta aatggg <210> 10 <211> 66 <212> DNA <213> artificial sequence <220> Oligonucleotide in duplex cloned into EcoRV site <223> of plasmid pQE.KNOBDHI generating pQE.KNOB.RGDHI. <400> 10 cacactaaac ggtacacagg aaacaggaga cacaacttgt gactgccgcg gagactgttt 60 66 ctgccc <210> 11 66 <211> <212> DNA <213> artificial sequence <220> primer\_bind <221> Oligonucleotide in duplex cloned into EcoRV site <223> of plasmid pQE.KNOBDHI generating pQE.KNOB.RGDHI. <400> 11 gggcagaaac agtctccgcg gcagtcacaa gttgtgtctc ctgtttcctg tgtaccgttt 60 66 agtgtg <210> 12 <211> 41 <212> DNA <213> artificial sequence <220> <223> Oligonucleotide in synthetic duplex used to replace 41 bp PacI-ClaI-fragment in pcDNA.Luc, generating pcLucPC1. <400> 12

## caaatacaaa ggatatcagg tggcccccgc tgaattggag t

<210>	13
<211>	45 .
<212>	DNA
<213>	artificial sequence
<220>	
<223>	Oligonucleotide in synthetic duplex used to
	replace 41 bp PacI-ClaI-fragment in pcDNA.Luc,
	generating pcLucPC1.

<400> 13

cgactccaat tcagcggggg ccacctgata tcctttgtat ttgat 45

<210> 14 <211> 13

<212> PRT

<213> artificial sequence

<220>

<223> Amino acid sequence deleted from the HI loop of the fiber knob domain and replaced with a unique EcoRV site.

<400> 14

Thr Leu Asn Gly Thr Gln Glu Thr Gly Asp Thr Thr Pro

5 10

<210> 15

<211> 8

<212> PRT

<213> artificial sequence

<220>

<223> Amino acid sequence of the FLAG octapeptide.

<400> 15

Asp Tyr Lys Asp Asp Asp Lys

5

<210> 16

```
<211>
                9
     <212>
                PRT
     <213>
                artificial sequence
     <220>
     <223>
               Amino acid sequence of a RGD peptide incorporated
                into the region of the fiber gene within the HI loop.
     <400>
                16
Cys Asp Cys Arg Gly Asp Cys Phe Cys
                 5
     <210>
                17
     <211>
                13
     <212>
               PRT
     <213>
               artificial sequence
     <220>
     <223>
               Amino acid sequence of peptide replacing the
               RGD coding sequence.
     <400>
                17
Thr Leu Asn Gly Thr Gln Glu Thr Gly Asp Thr Thr Pro
                 5
                                      10
```